You arrive first on the scene of an accident. What is the absolute first thing that you do?

Survey the scene. If the person fell down a rock slide, make sure you don't make the same mistake trying to get to them. Try to discover if a danger is still present and how you are going to avoid it if necessary.

True or False? Rubbing butter, margarine or other oil on a burn will help.

False. In fact, rubbing these on may make the burn worse since they will trap the heat in. For 1st degree burns and some 2nd degree burns, run under cold water.

What one treatment should always be done regardless of the type of injury?

Treat for shock.

How do you treat for shock?

Lay the person down, raise their head and cover them up.

# Which of these is most medically trained?

- a) EMT
- b) Paramedic
- c) First Responder
- d) Firefighter

**Paramedic** 

## How should a bee stinger be removed?

Scrape it off.

## How should a fish hook be removed?

Push it the rest of the way through until you see the tip. Snip the tip off and then back the rest of the hook out.

If you lose a tooth what should the tooth be placed in?

Milk.

## Which is worse, heat exhaustion or heat stroke?

Heat Stroke.

# What is the treatment for a nosebleed?

Pinch the pressure point in the nose and lean forward.

How do you perform the Heimlich maneuver on a person who is too large to wrap your arms around?

Lean them back against the wall or lay them on the ground. Stand in front of them or over them and perform the thrusts.

Name three of the five signs of a heart attack.

- 1) Uncomfortable pressure
  - 2) Nausea
  - 3) Sweating

  - 4) Shortness of breath5) Weakness or fatigue

Name four things that should go in a personal first aid kit.

adhesive bandages small roll of adhesive tape small bar of soap small pair of scissors small pencil goggles 3x3 gauze pads strip of moleskin alcohol wipes pad of paper pair of rubber gloves breathing barrier

Describe how to make a stretcher using a blanket and poles.

Lay the blanket out on the ground.
Lay the two poles on the blanket
about two feet apart. Wrap the
blanket ends over the poles such that
the victim lies on top of them, holding
them in place.

Demonstrate one way to transport an unconscious person by yourself.

A single person method like the shirt drag, foot drag or arm pull must be demonstrated.

Name two of the four hurry cases.

Stopped Breathing Serious Bleeding Internal Poisoning Heart Attack

What is the primary treatment for serious bleeding?

Direct pressure.

What are splints used for?

To keep a broken bone from moving.

What is the danger in moving someone who has a neck or back injury?

You could injure the spinal cord and paralyze them.

Which is worse: first degree, second degree or third degree burns? What does it look like?

**Third degree**. The skin will be black and charred or missing completely.